

## 713613230 FAG

Bearing interchange tables

TYPE: Bearing cross reference, interchange tables, Single row tapered roller bearings for hub



### Technical specification

#### MANUFACTURER

[FAG](#)

#### INTERCHANGE

#### INTERCHANGE

|         |                                 |
|---------|---------------------------------|
| FERSA   | <a href="#">KA 077</a>          |
| BEARING | <a href="#">LM 11949/10</a>     |
| SKF     | <a href="#">VKBA 752</a>        |
| SNR     | <a href="#">R168.10</a>         |
| OPTIMAL | <a href="#">962776</a>          |
| QH      | <a href="#">QWB 556</a>         |
| TIMKEN  | <a href="#">EK73662/ K80107</a> |
| RUVILLE | <a href="#">6810</a>            |
| FERSA   | <a href="#">KA 003</a>          |
| FERSA   | <a href="#">KA 004</a>          |
| FERSA   | <a href="#">KA 005</a>          |
| FERSA   | <a href="#">KA 025</a>          |
| FERSA   | <a href="#">KA 028</a>          |
| FERSA   | <a href="#">KA 034</a>          |
| FERSA   | <a href="#">KA 036</a>          |
| FERSA   | <a href="#">KA 039</a>          |
| FERSA   | <a href="#">KA 055</a>          |
| FERSA   | <a href="#">KA 056</a>          |
| FERSA   | <a href="#">KA 057</a>          |
| FERSA   | <a href="#">KA 064</a>          |
| FERSA   | <a href="#">KA 066</a>          |

|         |                                  |
|---------|----------------------------------|
| FERSA   | <a href="#">KA 067</a>           |
| FERSA   | <a href="#">KA 083</a>           |
| FERSA   | <a href="#">KA 085</a>           |
| FERSA   | <a href="#">KA 248</a>           |
| SKF     | <a href="#">VKBA 1487</a>        |
| SNR     | <a href="#">R160.38</a>          |
| FAG     | <a href="#">713606140</a>        |
| OPTIMAL | <a href="#">801438</a>           |
| QH      | <a href="#">QWB 443</a>          |
| TIMKEN  | <a href="#">EK73614/ K80104</a>  |
| RUVILLE | <a href="#">6006</a>             |
| SKF     | <a href="#">VKBA 718</a>         |
| SNR     | <a href="#">R160.44</a>          |
| FAG     | <a href="#">713606050</a>        |
| OPTIMAL | <a href="#">801554</a>           |
| QH      | <a href="#">QWB 691</a>          |
| TIMKEN  | <a href="#">EK73836/ K80113</a>  |
| RUVILLE | <a href="#">6019</a>             |
| SKF     | <a href="#">VKBA 542</a>         |
| SNR     | <a href="#">R157.05</a>          |
| FAG     | <a href="#">713610240</a>        |
| OPTIMAL | <a href="#">102008</a>           |
| QH      | <a href="#">QWB 429</a>          |
| TIMKEN  | <a href="#">EK73814/ K 80202</a> |



## INTERCHANGE

|         |                           |
|---------|---------------------------|
| RUVILLE | <a href="#">5705</a>      |
| SKF     | <a href="#">VKBA 517</a>  |
| SNR     | <a href="#">R151.02</a>   |
| FAG     | <a href="#">713667400</a> |
| OPTIMAL | <a href="#">401222</a>    |
| QH      | <a href="#">QWB 256</a>   |
| TIMKEN  | <a href="#">K82001</a>    |
| RUVILLE | <a href="#">5102</a>      |
| SKF     | <a href="#">VKBA 941</a>  |
| SNR     | <a href="#">R151.14</a>   |
| FAG     | <a href="#">713667370</a> |
| OPTIMAL | <a href="#">401042</a>    |
| QH      | <a href="#">QWB 654</a>   |
| TIMKEN  | <a href="#">K82006</a>    |
| RUVILLE | <a href="#">5114</a>      |
| SKF     | <a href="#">VKBA 1310</a> |
| SNR     | <a href="#">R168.15</a>   |
| FAG     | <a href="#">713613280</a> |
| OPTIMAL | <a href="#">962682</a>    |
| QH      | <a href="#">QWB 539</a>   |
| TIMKEN  | <a href="#">K82306</a>    |
| RUVILLE | <a href="#">6815</a>      |
| SKF     | <a href="#">VKBA 684</a>  |
| SNR     | <a href="#">R168.09</a>   |
| FAG     | <a href="#">713613130</a> |
| OPTIMAL | <a href="#">961503</a>    |
| QH      | <a href="#">QWB 347</a>   |
| TIMKEN  | <a href="#">K82352</a>    |
| RUVILLE | <a href="#">6809</a>      |
| SKF     | <a href="#">VKBA 526</a>  |
| SNR     | <a href="#">R153.16</a>   |
| FAG     | <a href="#">713644520</a> |
| OPTIMAL | <a href="#">200020</a>    |
| QH      | <a href="#">QWB 596</a>   |
| TIMKEN  | <a href="#">K82504</a>    |
| RUVILLE | <a href="#">5316</a>      |
| SKF     | <a href="#">VKBA 926</a>  |
| SNR     | <a href="#">R158.00</a>   |
| FAG     | <a href="#">713690120</a> |
| QH      | <a href="#">QWB 239</a>   |
| SKF     | <a href="#">VKBA 925</a>  |
| SNR     | <a href="#">R158.01</a>   |
| FAG     | <a href="#">713690130</a> |
| OPTIMAL | <a href="#">801402</a>    |
| QH      | <a href="#">QWB 242</a>   |
| TIMKEN  | <a href="#">K83205</a>    |
| RUVILLE | <a href="#">5801</a>      |
| SKF     | <a href="#">VKBA 929</a>  |

## INTERCHANGE

|         |                                      |
|---------|--------------------------------------|
| SNR     | <a href="#">R158.08</a>              |
| FAG     | <a href="#">713690150</a>            |
| OPTIMAL | <a href="#">801698</a>               |
| TIMKEN  | <a href="#">K83206</a>               |
| RUVILLE | <a href="#">5808</a>                 |
| TIMKEN  | <a href="#">K 83603</a>              |
| SKF     | <a href="#">VKBA 527</a>             |
| SNR     | <a href="#">R169.02</a>              |
| FAG     | <a href="#">713618110</a>            |
| OPTIMAL | <a href="#">981814</a>               |
| QH      | <a href="#">QWB 365</a>              |
| TIMKEN  | <a href="#">EK73638/ K 83753</a>     |
| RUVILLE | <a href="#">6902</a>                 |
| SKF     | <a href="#">VKBA 1964/ VKBA 1965</a> |
| SNR     | <a href="#">R169.02 / R169.23</a>    |
| FAG     | <a href="#">7.1361811071362E+17</a>  |
| TIMKEN  | <a href="#">EK73638/ K 83754</a>     |
| QH      | <a href="#">QWB 414</a>              |
| SKF     | <a href="#">VKBA 523</a>             |
| SNR     | <a href="#">R152.02</a>              |
| FAG     | <a href="#">713678300</a>            |
| OPTIMAL | <a href="#">300062</a>               |
| TIMKEN  | <a href="#">EK73837/ K81150</a>      |
| RUVILLE | <a href="#">5202</a>                 |
| SKF     | <a href="#">VKBA 1465</a>            |
| SNR     | <a href="#">R140.87</a>              |
| FAG     | <a href="#">713678500</a>            |
| OPTIMAL | <a href="#">301118</a>               |
| QH      | <a href="#">QWB 863</a>              |
| TIMKEN  | <a href="#">EK78641 / K 81151</a>    |
| RUVILLE | <a href="#">4087</a>                 |
| SKF     | <a href="#">VKBA 3519</a>            |
| SNR     | <a href="#">R154.50</a>              |
| FAG     | <a href="#">713610370</a>            |
| OPTIMAL | <a href="#">102055</a>               |
| QH      | <a href="#">QWB 1155</a>             |
| TIMKEN  | <a href="#">K80215</a>               |
| RUVILLE | <a href="#">5450</a>                 |
| FERSA   | <a href="#">KA 075</a>               |
| BEARING | <a href="#">LM 11749/10</a>          |
| SKF     | <a href="#">VKBA 528</a>             |
| SNR     | <a href="#">R152.17</a>              |
| FAG     | <a href="#">713678150</a>            |
| OPTIMAL | <a href="#">300004</a>               |
| TIMKEN  | <a href="#">EK73831 / K81104</a>     |
| RUVILLE | <a href="#">5217</a>                 |
| FERSA   | <a href="#">KA 001</a>               |
| FERSA   | <a href="#">KA 002</a>               |





## INTERCHANGE

|         |                                  |
|---------|----------------------------------|
| FERSA   | <a href="#">KA 007</a>           |
| FERSA   | <a href="#">KA 014</a>           |
| FERSA   | <a href="#">KA 017</a>           |
| FERSA   | <a href="#">KA 030</a>           |
| FERSA   | <a href="#">KA 038</a>           |
| FERSA   | <a href="#">KA 040</a>           |
| FERSA   | <a href="#">KA 059</a>           |
| FERSA   | <a href="#">KA 065</a>           |
| FERSA   | <a href="#">KA 068</a>           |
| FERSA   | <a href="#">KA 069</a>           |
| FERSA   | <a href="#">KA 086</a>           |
| FERSA   | <a href="#">KA 087</a>           |
| FERSA   | <a href="#">KA 415</a>           |
| FERSA   | <a href="#">KA 542</a>           |
| SKF     | <a href="#">VKBA 532</a>         |
| SNR     | <a href="#">R160.02</a>          |
| FAG     | <a href="#">713606200</a>        |
| OPTIMAL | <a href="#">802652</a>           |
| QH      | <a href="#">QWB 605</a>          |
| TIMKEN  | <a href="#">EK73608/ K80102</a>  |
| RUVILLE | <a href="#">6002</a>             |
| SKF     | <a href="#">VKBA 513</a>         |
| SNR     | <a href="#">R160.36</a>          |
| FAG     | <a href="#">713606120</a>        |
| OPTIMAL | <a href="#">981535</a>           |
| QH      | <a href="#">QWB 212</a>          |
| TIMKEN  | <a href="#">EK73640/ K80103</a>  |
| RUVILLE | <a href="#">6004</a>             |
| SKF     | <a href="#">VKBA 3255</a>        |
| SNR     | <a href="#">R153.07</a>          |
| OPTIMAL | <a href="#">972389</a>           |
| TIMKEN  | <a href="#">EK73797/ K 80403</a> |
| RUVILLE | <a href="#">5307</a>             |
| SKF     | <a href="#">VKBA 504</a>         |
| SNR     | <a href="#">R152.12</a>          |
| FAG     | <a href="#">713678250</a>        |
| OPTIMAL | <a href="#">300052</a>           |
| QH      | <a href="#">QWB 113C</a>         |
| TIMKEN  | <a href="#">EK73542/ K81102</a>  |
| RUVILLE | <a href="#">5212</a>             |
| SKF     | <a href="#">VKBA 505</a>         |
| SNR     | <a href="#">R152.08</a>          |
| FAG     | <a href="#">713678140</a>        |
| OPTIMAL | <a href="#">301280</a>           |
| QH      | <a href="#">QWB 115C</a>         |
| TIMKEN  | <a href="#">EK73539/ K81107</a>  |
| RUVILLE | <a href="#">5208</a>             |
| SKF     | <a href="#">VKBA 756</a>         |

## INTERCHANGE

|         |                                  |
|---------|----------------------------------|
| SNR     | <a href="#">R151.08</a>          |
| FAG     | <a href="#">713667450</a>        |
| OPTIMAL | <a href="#">401048</a>           |
| QH      | <a href="#">QWB 508</a>          |
| TIMKEN  | <a href="#">K82009</a>           |
| RUVILLE | <a href="#">5108</a>             |
| SKF     | <a href="#">VKBA 944</a>         |
| FAG     | <a href="#">713644510</a>        |
| OPTIMAL | <a href="#">200012</a>           |
| QH      | <a href="#">QWB 155C</a>         |
| TIMKEN  | <a href="#">EK73797/ K 82502</a> |
| SKF     | <a href="#">VKBA 506</a>         |
| SNR     | <a href="#">R153.03</a>          |
| FAG     | <a href="#">713644480</a>        |
| OPTIMAL | <a href="#">201996</a>           |
| QH      | <a href="#">QWB 285</a>          |
| RUVILLE | <a href="#">5303</a>             |
| QH      | <a href="#">QWB 224</a>          |
| SKF     | <a href="#">VKBA 534</a>         |
| SNR     | <a href="#">R169.01</a>          |
| FAG     | <a href="#">713618100</a>        |
| OPTIMAL | <a href="#">981790</a>           |
| QH      | <a href="#">QWB 366</a>          |
| TIMKEN  | <a href="#">K83710</a>           |
| RUVILLE | <a href="#">6901</a>             |
| SKF     | <a href="#">VKBA 502</a>         |
| SNR     | <a href="#">R163.19</a>          |
| FAG     | <a href="#">713660110</a>        |
| OPTIMAL | <a href="#">891822</a>           |
| QH      | <a href="#">QWB 342</a>          |
| TIMKEN  | <a href="#">EK73706/ K 84001</a> |
| RUVILLE | <a href="#">6300</a>             |
| SKF     | <a href="#">VKBA 529</a>         |
| SNR     | <a href="#">R154.13</a>          |
| FAG     | <a href="#">713610230</a>        |
| OPTIMAL | <a href="#">100002</a>           |
| QH      | <a href="#">QWB 201</a>          |
| TIMKEN  | <a href="#">EK73513/ K 80203</a> |
| RUVILLE | <a href="#">5404</a>             |
| SKF     | <a href="#">VKBA 713</a>         |
| SNR     | <a href="#">R173.00</a>          |
| FAG     | <a href="#">713619100</a>        |
| OPTIMAL | <a href="#">920752</a>           |
| QH      | <a href="#">QWB 842</a>          |
| TIMKEN  | <a href="#">EK73688/ K81206</a>  |
| RUVILLE | <a href="#">7300</a>             |
| SKF     | <a href="#">VKBA 1396</a>        |
| SNR     | <a href="#">R151.11</a>          |





## INTERCHANGE

|         |                                     |
|---------|-------------------------------------|
| FAG     | <a href="#">713667380</a>           |
| OPTIMAL | <a href="#">401100</a>              |
| QH      | <a href="#">QWB 773</a>             |
| TIMKEN  | <a href="#">K82050</a>              |
| RUVILLE | <a href="#">5111</a>                |
| SKF     | <a href="#">VKBA 3792</a>           |
| SNR     | <a href="#">R184.33</a>             |
| SKF     | <a href="#">VKBA 1322</a>           |
| SNR     | <a href="#">R170.12</a>             |
| FAG     | <a href="#">713615230</a>           |
| OPTIMAL | <a href="#">942770</a>              |
| QH      | <a href="#">QWB 699</a>             |
| TIMKEN  | <a href="#">K81902</a>              |
| RUVILLE | <a href="#">7012</a>                |
| FERSA   | <a href="#">KA 063</a>              |
| BEARING | <a href="#">30204 F</a>             |
| SKF     | <a href="#">VKBA 551 / VKBA 552</a> |
| SNR     | <a href="#">R156.00</a>             |
| FAG     | <a href="#">713680110</a>           |
| OPTIMAL | <a href="#">600410</a>              |
| TIMKEN  | <a href="#">EK73508/ K 83602</a>    |
| RUVILLE | <a href="#">5600</a>                |

